

Sur ma connexion Freebox

Upload du pack "them"

Les échanges ont commencé avec une lenteur extrême, puis le transfert s'est bloqué

Connect to: (11/05/2009 22:57:15)

hostname=www.tayeb.fr

username=XXXXXXXXXX

startdir=/web

www.tayeb.fr=84.16.92.30

220 ProFTPD 1.3.2 Server (ProFTPD) [::ffff:84.16.92.30]

USER XXXXXXXXXXXX

331 Password required for XXXXXXXXXXXX

PASS *****

230 User XXXXXXXXXXXX logged in

SYST

215 UNIX Type: L8

FEAT

211-Features:

MDTM

MFMT

AUTH TLS

MFF modify;UNIX.group;UNIX.mode;

MLST modify*;perm*;size*;type*;unique*;UNIX.group*;UNIX.mode*;UNIX.owner*;

PBSZ

PROT

REST STREAM

SIZE

211 End

CWD /web

250 CWD command successful

Connect ok!

PWD

257 "/web" is the current directory

Lire le répertoire

TYPE A

200 Type set to A

PASV

227 Entering Passive Mode (84,16,92,30,169,189).

LIST

150 Opening ASCII mode data connection for file list

Téléchargé|s

En attente du serveur...

226 Transfer complete

CWD testFTP

250 CWD command successful

PWD

257 "/web/testFTP" is the current directory

Lire le répertoire

PASV

227 Entering Passive Mode (84,16,92,30,164,138).

LIST

150 Opening ASCII mode data connection for file list

Téléchargé|s

En attente du serveur...

226 Transfer complete

MKD themb

257 "/web/testFTP/themb" - Directory successfully created

CWD themb

250 CWD command successful

PWD

257 "/web/testFTP/themb" is the current directory

Lire le répertoire

PASV

227 Entering Passive Mode (84,16,92,30,166,18).

LIST

150 Opening ASCII mode data connection for file list

Téléchargé|s

En attente du serveur...

226 Transfer complete

MKD babylon

257 "/web/testFTP/themb/babylon" - Directory successfully created

CWD babylon

250 CWD command successful

PWD

257 "/web/testFTP/themb/babylon" is the current directory

Lire le répertoire

PASV

227 Entering Passive Mode (84,16,92,30,168,159).

LIST

150 Opening ASCII mode data connection for file list

Téléchargé|s

En attente du serveur...

```
226 Transfer complete
MKD images
257 "/web/testFTP/themb/babylon/images" - Directory successfully created
CWD images
250 CWD command successful
PWD
257 "/web/testFTP/themb/babylon/images" is the current directory
Lire le répertoire
PASV
227 Entering Passive Mode (84,16,92,30,170,167).
LIST
150 Opening ASCII mode data connection for file list
Téléchargé|s
En attente du serveur...
226 Transfer complete
MKD french-utf8
257 "/web/testFTP/themb/babylon/images/french-utf8" - Directory successfully created
CWD french-utf8
250 CWD command successful
PWD
257 "/web/testFTP/themb/babylon/images/french-utf8" is the current directory
Lire le répertoire
PASV
227 Entering Passive Mode (84,16,92,30,169,136).
LIST
150 Opening ASCII mode data connection for file list
Téléchargé|s
En attente du serveur...
226 Transfer complete
TYPE I
200 Type set to I
PASV
227 Entering Passive Mode (84,16,92,30,167,1).
STOR addpoll.gif
150 Opening BINARY mode data connection for addpoll.gif
Envoyés
226 Transfer complete
SIZE addpoll.gif
213 2932
Copied (11/05/2009 22:57:57): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\addpoll.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/addpoll.gif 2 932 octets, 3.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,168,213).
STOR admin.gif
150 Opening BINARY mode data connection for admin.gif
Envoyés
226 Transfer complete
SIZE admin.gif
213 1509
Copied (11/05/2009 22:58:06): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\admin.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/admin.gif 1 509 octets, 0 octets/s
PASV
227 Entering Passive Mode (84,16,92,30,167,53).
STOR admin_lock.gif
150 Opening BINARY mode data connection for admin_lock.gif
Envoyés
226 Transfer complete
SIZE admin_lock.gif
213 2289
Copied (11/05/2009 22:58:12): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\admin_lock.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/admin_lock.gif 2 289 octets, 2.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,166,64).
STOR admin_move.gif
150 Opening BINARY mode data connection for admin_move.gif
Envoyés
226 Transfer complete
SIZE admin_move.gif
213 2354
Copied (11/05/2009 22:58:12): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\admin_move.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/admin_move.gif 2 354 octets, 6.8
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,166,217).
STOR admin_rem.gif
150 Opening BINARY mode data connection for admin_rem.gif
Envoyés
226 Transfer complete
SIZE admin_rem.gif
213 1795
```

```
Copied (11/05/2009 22:58:13): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\admin_rem.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/admin_rem.gif 1 795 octets, 4.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,168,175).
STOR admin_remove_poll.gif
150 Opening BINARY mode data connection for admin_remove_poll.gif
Envoyés
226 Transfer complete
SIZE admin_remove_poll.gif
213 2932
Copied (11/05/2009 22:58:17): C:\tmp\tests_FTP\themb\babylon\images\french-
utf8\admin_remove_poll.gif -> ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-
utf8/admin_remove_poll.gif 2 932 octets, 8.8 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,165,42).
STOR admin_sticky.gif
150 Opening BINARY mode data connection for admin_sticky.gif
Envoyés
226 Transfer complete
SIZE admin_sticky.gif
213 722
Copied (11/05/2009 22:58:18): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\admin_sticky.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/admin_sticky.gif 722 octets, 1.0
kocokets/s
PASV
227 Entering Passive Mode (84,16,92,30,169,95).
STOR calendar.gif
150 Opening BINARY mode data connection for calendar.gif
Envoyés
226 Transfer complete
SIZE calendar.gif
213 1256
Copied (11/05/2009 22:58:19): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\calendar.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/calendar.gif 1 256 octets, 3.9
kocokets/s
PASV
227 Entering Passive Mode (84,16,92,30,167,115).
STOR calendarpe.gif
150 Opening BINARY mode data connection for calendarpe.gif
Envoyés
226 Transfer complete
SIZE calendarpe.gif
213 2482
Copied (11/05/2009 22:58:22): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\calendarpe.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/calendarpe.gif 2 482 octets, 7.8
kocokets/s
PASV
227 Entering Passive Mode (84,16,92,30,170,180).
STOR delete.gif
150 Opening BINARY mode data connection for delete.gif
Envoyés
226 Transfer complete
SIZE delete.gif
213 1279
Copied (11/05/2009 22:58:24): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\delete.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/delete.gif 1 279 octets, 3.9
kocokets/s
PASV
227 Entering Passive Mode (84,16,92,30,167,121).
STOR delete_selected.gif
150 Opening BINARY mode data connection for delete_selected.gif
Envoyés
226 Transfer complete
SIZE delete_selected.gif
213 1433
Copied (11/05/2009 22:58:25): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\delete_selected.gif
-> ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/delete_selected.gif 1 433 octets,
2.0 kocokets/s
PASV
227 Entering Passive Mode (84,16,92,30,171,214).
STOR go_down.gif
150 Opening BINARY mode data connection for go_down.gif
Envoyés
226 Transfer complete
SIZE go_down.gif
213 1055
Copied (11/05/2009 22:58:25): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\go_down.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/go_down.gif 1 055 octets, 2.9
kocokets/s
PASV
227 Entering Passive Mode (84,16,92,30,171,90).
STOR go_up.gif
```

```
150 Opening BINARY mode data connection for go_up.gif
Envoyés
226 Transfer complete
SIZE go_up.gif
213 1055
Copied (11/05/2009 22:58:26): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\go_up.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/go_up.gif 1 055 octets, 1.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,169,75).
STOR help.gif
150 Opening BINARY mode data connection for help.gif
Envoyés
226 Transfer complete
SIZE help.gif
213 1509
Copied (11/05/2009 22:58:28): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\help.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/help.gif 1 509 octets, 1.0 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,167,191).
STOR home.gif
150 Opening BINARY mode data connection for home.gif
Envoyés
226 Transfer complete
SIZE home.gif
213 1865
Copied (11/05/2009 22:58:33): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\home.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/home.gif 1 865 octets, 2.9 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,164,114).
STOR im_delete.gif
150 Opening BINARY mode data connection for im_delete.gif
Envoyés
226 Transfer complete
SIZE im_delete.gif
213 1663
Copied (11/05/2009 22:58:34): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\im_delete.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/im_delete.gif 1 663 octets, 4.9
kocokets/s
PASV
227 Entering Passive Mode (84,16,92,30,167,208).
STOR im_inbox.gif
150 Opening BINARY mode data connection for im_inbox.gif
Envoyés
226 Transfer complete
SIZE im_inbox.gif
213 1795
Copied (11/05/2009 22:58:37): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\im_inbox.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/im_inbox.gif 1 795 octets, 4.9
kocokets/s
PASV
227 Entering Passive Mode (84,16,92,30,171,45).
STOR im_new.gif
150 Opening BINARY mode data connection for im_new.gif
Envoyés
226 Transfer complete
SIZE im_new.gif
213 2193
Copied (11/05/2009 22:58:42): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\im_new.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/im_new.gif 2 193 octets, 2.9
kocokets/s
PASV
227 Entering Passive Mode (84,16,92,30,170,139).
STOR im_outbox.gif
150 Opening BINARY mode data connection for im_outbox.gif
Envoyés
226 Transfer complete
SIZE im_outbox.gif
213 1389
Copied (11/05/2009 22:58:44): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\im_outbox.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/im_outbox.gif 1 389 octets, 1.0
kocokets/s
PASV
227 Entering Passive Mode (84,16,92,30,170,231).
STOR im_preferences.gif
150 Opening BINARY mode data connection for im_preferences.gif
Envoyés
226 Transfer complete
SIZE im_preferences.gif
213 1662
Copied (11/05/2009 22:58:48): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\im_preferences.gif -
> ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/im_preferences.gif 1 662 octets,
2.9 kocokets/s
```

PASV
227 Entering Passive Mode (84,16,92,30,168,79).
STOR im_reload.gif
150 Opening BINARY mode data connection for im_reload.gif
Envoyés
226 Transfer complete
SIZE im_reload.gif
213 1663
Copied (11/05/2009 22:58:49): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\im_reload.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/im_reload.gif 1 663 octets, 4.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,166,101).
STOR im_reply.gif
150 Opening BINARY mode data connection for im_reply.gif
Envoyés
226 Transfer complete
SIZE im_reply.gif
213 1055
Copied (11/05/2009 22:58:55): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\im_reply.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/im_reply.gif 1 055 octets, 0
octets/s
PASV
227 Entering Passive Mode (84,16,92,30,168,208).
STOR keystats.gif
150 Opening BINARY mode data connection for keystats.gif
Envoyés
226 Transfer complete
SIZE keystats.gif
213 1872
Copied (11/05/2009 22:59:09): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\keystats.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/keystats.gif 1 872 octets, 2.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,171,142).
STOR linktocal.gif
150 Opening BINARY mode data connection for linktocal.gif
Envoyés
226 Transfer complete
SIZE linktocal.gif
213 2370
Copied (11/05/2009 22:59:10): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\linktocal.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/linktocal.gif 2 370 octets, 3.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,170,68).
STOR login.gif
150 Opening BINARY mode data connection for login.gif
Envoyés
226 Transfer complete
SIZE login.gif
213 774
Copied (11/05/2009 22:59:11): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\login.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/login.gif 774 octets, 1.0 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,166,174).
STOR logout.gif
150 Opening BINARY mode data connection for logout.gif
Envoyés
226 Transfer complete
SIZE logout.gif
213 793
Copied (11/05/2009 22:59:11): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\logout.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/logout.gif 793 octets, 2.0 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,164,56).
STOR markread.gif
150 Opening BINARY mode data connection for markread.gif
Envoyés
226 Transfer complete
SIZE markread.gif
213 1807
Copied (11/05/2009 22:59:15): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\markread.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/markread.gif 1 807 octets, 5.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,164,119).
STOR markunread.gif
150 Opening BINARY mode data connection for markunread.gif
Envoyés
226 Transfer complete
SIZE markunread.gif
213 833

```
Copied (11/05/2009 22:59:16): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\markunread.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/markunread.gif 833 octets, 1.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,171,62).
STOR memberlist.gif
150 Opening BINARY mode data connection for memberlist.gif
Envoyés
226 Transfer complete
SIZE memberlist.gif
213 1509
Copied (11/05/2009 22:59:17): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\memberlist.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/memberlist.gif 1 509 octets, 2.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,170,208).
STOR merge.gif
150 Opening BINARY mode data connection for merge.gif
Envoyés
226 Transfer complete
SIZE merge.gif
213 1663
Copied (11/05/2009 22:59:18): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\merge.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/merge.gif 1 663 octets, 4.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,169,239).
STOR modify.gif
150 Opening BINARY mode data connection for modify.gif
Envoyés
226 Transfer complete
SIZE modify.gif
213 668
Copied (11/05/2009 22:59:18): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\modify.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/modify.gif 668 octets, 2.0 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,166,96).
STOR new.gif
150 Opening BINARY mode data connection for new.gif
Envoyés
226 Transfer complete
SIZE new.gif
213 456
Copied (11/05/2009 22:59:20): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\new.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/new.gif 456 octets, 0 octets/s
PASV
227 Entering Passive Mode (84,16,92,30,167,197).
STOR newsbox.gif
150 Opening BINARY mode data connection for newsbox.gif
Envoyés
226 Transfer complete
SIZE newsbox.gif
213 2040
Copied (11/05/2009 22:59:24): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\newsbox.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/newsbox.gif 2 040 octets, 2.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,165,68).
STOR new_poll.gif
150 Opening BINARY mode data connection for new_poll.gif
Envoyés
226 Transfer complete
SIZE new_poll.gif
213 2640
Copied (11/05/2009 22:59:31): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\new_poll.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/new_poll.gif 2 640 octets, 1.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,168,144).
STOR new_topic.gif
150 Opening BINARY mode data connection for new_topic.gif
Envoyés
226 Transfer complete
SIZE new_topic.gif
213 2001
Copied (11/05/2009 22:59:31): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\new_topic.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/new_topic.gif 2 001 octets, 5.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,170,142).
STOR notify.gif
150 Opening BINARY mode data connection for notify.gif
Envoyés
```

```
226 Transfer complete
SIZE notify.gif
213 1663
Copied (11/05/2009 22:59:32): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\notify.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/notify.gif 1 663 octets, 4.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,169,228).
STOR notify_sm.gif
150 Opening BINARY mode data connection for notify_sm.gif
Envoyés
226 Transfer complete
SIZE notify_sm.gif
213 1279
Copied (11/05/2009 22:59:33): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\notify_sm.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/notify_sm.gif 1 279 octets, 2.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,169,171).
STOR print.gif
150 Opening BINARY mode data connection for print.gif
Envoyés
226 Transfer complete
SIZE print.gif
213 1663
Copied (11/05/2009 22:59:36): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\print.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/print.gif 1 663 octets, 1.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,168,14).
STOR profile.gif
150 Opening BINARY mode data connection for profile.gif
Envoyés
226 Transfer complete
SIZE profile.gif
213 1509
Copied (11/05/2009 22:59:36): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\profile.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/profile.gif 1 509 octets, 4.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,165,119).
STOR quote.gif
150 Opening BINARY mode data connection for quote.gif
Envoyés
226 Transfer complete
SIZE quote.gif
213 1279
Copied (11/05/2009 22:59:37): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\quote.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/quote.gif 1 279 octets, 3.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,168,127).
STOR register.gif
150 Opening BINARY mode data connection for register.gif
Envoyés
226 Transfer complete
SIZE register.gif
213 1709
Copied (11/05/2009 22:59:37): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\register.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/register.gif 1 709 octets, 4.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,171,119).
STOR reply.gif
150 Opening BINARY mode data connection for reply.gif
Envoyés
226 Transfer complete
SIZE reply.gif
213 1663
Copied (11/05/2009 22:59:48): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\reply.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/reply.gif 1 663 octets, 1.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,165,109).
STOR reply_sm.gif
150 Opening BINARY mode data connection for reply_sm.gif
Envoyés
226 Transfer complete
SIZE reply_sm.gif
213 1279
Copied (11/05/2009 22:59:49): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\reply_sm.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/reply_sm.gif 1 279 octets, 3.9
koctets/s
```

```
PASV
227 Entering Passive Mode (84,16,92,30,167,249).
STOR search.gif
150 Opening BINARY mode data connection for search.gif
Envoyés
226 Transfer complete
SIZE search.gif
213 1509
Copied (11/05/2009 22:59:49): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\search.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/search.gif 1 509 octets, 2.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,168,226).
STOR sendtopic.gif
150 Opening BINARY mode data connection for sendtopic.gif
Envoyés
226 Transfer complete
SIZE sendtopic.gif
213 1907
Copied (11/05/2009 22:59:50): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\sendtopic.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/sendtopic.gif 1 907 octets, 5.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,168,92).
STOR split.gif
150 Opening BINARY mode data connection for split.gif
Envoyés
226 Transfer complete
SIZE split.gif
213 1279
Copied (11/05/2009 22:59:51): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\split.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/split.gif 1 279 octets, 2.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,164,210).
STOR userinfo.gif
150 Opening BINARY mode data connection for userinfo.gif
Envoyés
226 Transfer complete
SIZE userinfo.gif
213 1872
Copied (11/05/2009 22:59:58): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\userinfo.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/userinfo.gif 1 872 octets, 1.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,168,106).
STOR who.gif
150 Opening BINARY mode data connection for who.gif
Envoyés
226 Transfer complete
SIZE who.gif
213 1910
Copied (11/05/2009 22:59:58): C:\tmp\tests_FTP\themb\babylon\images\french-utf8\who.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/images/french-utf8/who.gif 1 910 octets, 5.9 koctets/s
CWD /web/testFTP/themb/babylon/images
250 CWD command successful
CWD /web/testFTP/themb/babylon
250 CWD command successful
PWD
257 "/web/testFTP/themb/babylon" is the current directory
MKD languages
257 "/web/testFTP/themb/babylon/languages" - Directory successfully created
CWD languages
250 CWD command successful
PWD
257 "/web/testFTP/themb/babylon/languages" is the current directory
Lire le répertoire
TYPE A
200 Type set to A
PASV
227 Entering Passive Mode (84,16,92,30,167,8).
LIST
150 Opening ASCII mode data connection for file list
Téléchargé|s
En attente du serveur...
226 Transfer complete
TYPE I
200 Type set to I
PASV
227 Entering Passive Mode (84,16,92,30,171,170).
STOR Settings.french-utf8.php
150 Opening BINARY mode data connection for Settings.french-utf8.php
Envoyés
```



```
226 Transfer complete
SIZE Settings.french-utf8.php
213 262
Copied (11/05/2009 23:00:09): C:\tmp\tests_FTP\themb\babylon\languages\Settings.french-utf8.php ->
ftp://www.tayeb.fr/web/testFTP/themb/babylon/languages/Settings.french-utf8.php 262 octets, 0
octets/s
CWD /web/testFTP/themb/babylon
250 CWD command successful
CWD /web/testFTP/themb
250 CWD command successful
PWD
257 "/web/testFTP/themb" is the current directory
MKD classic
257 "/web/testFTP/themb/classic" - Directory successfully created
CWD classic
250 CWD command successful
PWD
257 "/web/testFTP/themb/classic" is the current directory
Lire le répertoire
TYPE A
200 Type set to A
PASV
227 Entering Passive Mode (84,16,92,30,164,218).
LIST
150 Opening ASCII mode data connection for file list
Téléchargé|s
En attente du serveur...
226 Transfer complete
MKD images
257 "/web/testFTP/themb/classic/images" - Directory successfully created
CWD images
250 CWD command successful
PWD
257 "/web/testFTP/themb/classic/images" is the current directory
Lire le répertoire
PASV
227 Entering Passive Mode (84,16,92,30,168,154).
LIST
150 Opening ASCII mode data connection for file list
Téléchargé|s
En attente du serveur...
226 Transfer complete
MKD french-utf8
257 "/web/testFTP/themb/classic/images/french-utf8" - Directory successfully created
CWD french-utf8
250 CWD command successful
PWD
257 "/web/testFTP/themb/classic/images/french-utf8" is the current directory
Lire le répertoire
PASV
227 Entering Passive Mode (84,16,92,30,164,136).
LIST
150 Opening ASCII mode data connection for file list
Téléchargé|s
En attente du serveur...
226 Transfer complete
TYPE I
200 Type set to I
PASV
227 Entering Passive Mode (84,16,92,30,167,195).
STOR addpoll.gif
150 Opening BINARY mode data connection for addpoll.gif
Envoyés
226 Transfer complete
SIZE addpoll.gif
213 728
Copied (11/05/2009 23:00:19): C:\tmp\tests_FTP\themb\classic\images\french-utf8\addpoll.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/addpoll.gif 728 octets, 1.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,171,57).
STOR admin.gif
150 Opening BINARY mode data connection for admin.gif
Envoyés
226 Transfer complete
SIZE admin.gif
213 357
Copied (11/05/2009 23:00:20): C:\tmp\tests_FTP\themb\classic\images\french-utf8\admin.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/admin.gif 357 octets, 1.0 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,164,177).
STOR admin_lock.gif
150 Opening BINARY mode data connection for admin_lock.gif
```

```
Envoyés
226 Transfer complete
SIZE admin_lock.gif
213 606
Copied (11/05/2009 23:00:23): C:\tmp\tests_FTP\themb\classic\images\french-utf8\admin_lock.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/admin_lock.gif 606 octets, 2.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,168,42).
STOR admin_move.gif
150 Opening BINARY mode data connection for admin_move.gif
Envoyés
226 Transfer complete
SIZE admin_move.gif
213 480
Copied (11/05/2009 23:00:27): C:\tmp\tests_FTP\themb\classic\images\french-utf8\admin_move.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/admin_move.gif 480 octets, 2.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,170,151).
STOR admin_rem.gif
150 Opening BINARY mode data connection for admin_rem.gif
Envoyés
226 Transfer complete
SIZE admin_rem.gif
213 341
Copied (11/05/2009 23:00:28): C:\tmp\tests_FTP\themb\classic\images\french-utf8\admin_rem.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/admin_rem.gif 341 octets, 1.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,171,114).
STOR admin_remove_poll.gif
150 Opening BINARY mode data connection for admin_remove_poll.gif
Envoyés
226 Transfer complete
SIZE admin_remove_poll.gif
213 500
Copied (11/05/2009 23:00:29): C:\tmp\tests_FTP\themb\classic\images\french-
utf8\admin_remove_poll.gif -> ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-
utf8/admin_remove_poll.gif 500 octets, 2.0 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,166,57).
STOR admin_sticky.gif
150 Opening BINARY mode data connection for admin_sticky.gif
Envoyés
226 Transfer complete
SIZE admin_sticky.gif
213 220
Copied (11/05/2009 23:00:45): C:\tmp\tests_FTP\themb\classic\images\french-utf8\admin_sticky.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/admin_sticky.gif 220 octets, 0
octets/s
PASV
227 Entering Passive Mode (84,16,92,30,165,23).
STOR calendar.gif
150 Opening BINARY mode data connection for calendar.gif
Envoyés
226 Transfer complete
SIZE calendar.gif
213 595
Copied (11/05/2009 23:00:49): C:\tmp\tests_FTP\themb\classic\images\french-utf8\calendar.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/calendar.gif 595 octets, 2.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,167,87).
STOR calendarpe.gif
150 Opening BINARY mode data connection for calendarpe.gif
Envoyés
226 Transfer complete
SIZE calendarpe.gif
213 299
Copied (11/05/2009 23:00:49): C:\tmp\tests_FTP\themb\classic\images\french-utf8\calendarpe.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/calendarpe.gif 299 octets, 1.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,167,109).
STOR delete.gif
150 Opening BINARY mode data connection for delete.gif
Envoyés
226 Transfer complete
SIZE delete.gif
213 267
Copied (11/05/2009 23:00:51): C:\tmp\tests_FTP\themb\classic\images\french-utf8\delete.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/delete.gif 267 octets, 0 octets/s
```

PASV
227 Entering Passive Mode (84,16,92,30,166,6).
STOR delete_selected.gif
150 Opening BINARY mode data connection for delete_selected.gif
Envoyés
226 Transfer complete
SIZE delete_selected.gif
213 589
Copied (11/05/2009 23:00:56): C:\tmp\tests_FTP\themb\classic\images\french-utf8\delete_selected.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/delete_selected.gif 589 octets, 0
octets/s
PASV
227 Entering Passive Mode (84,16,92,30,165,113).
STOR email.gif
150 Opening BINARY mode data connection for email.gif
Envoyés
226 Transfer complete
SIZE email.gif
213 343
Copied (11/05/2009 23:00:57): C:\tmp\tests_FTP\themb\classic\images\french-utf8\email.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/email.gif 343 octets, 1.0 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,167,99).
STOR go_down.gif
150 Opening BINARY mode data connection for go_down.gif
Envoyés
226 Transfer complete
SIZE go_down.gif
213 525
Copied (11/05/2009 23:01:07): C:\tmp\tests_FTP\themb\classic\images\french-utf8\go_down.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/go_down.gif 525 octets, 2.0
kocets/s
PASV
227 Entering Passive Mode (84,16,92,30,170,4).
STOR go_up.gif
150 Opening BINARY mode data connection for go_up.gif
Envoyés
226 Transfer complete
SIZE go_up.gif
213 495
Copied (11/05/2009 23:01:08): C:\tmp\tests_FTP\themb\classic\images\french-utf8\go_up.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/go_up.gif 495 octets, 0 octets/s
PASV
227 Entering Passive Mode (84,16,92,30,166,217).
STOR help.gif
150 Opening BINARY mode data connection for help.gif
Envoyés
226 Transfer complete
SIZE help.gif
213 245
Copied (11/05/2009 23:01:08): C:\tmp\tests_FTP\themb\classic\images\french-utf8\help.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/help.gif 245 octets, 1.0 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,171,211).
STOR home.gif
150 Opening BINARY mode data connection for home.gif
Envoyés
226 Transfer complete
SIZE home.gif
213 550
Copied (11/05/2009 23:01:09): C:\tmp\tests_FTP\themb\classic\images\french-utf8\home.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/home.gif 550 octets, 2.0 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,169,155).
STOR im_delete.gif
150 Opening BINARY mode data connection for im_delete.gif
Envoyés
226 Transfer complete
SIZE im_delete.gif
213 645
Copied (11/05/2009 23:01:14): C:\tmp\tests_FTP\themb\classic\images\french-utf8\im_delete.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/im_delete.gif 645 octets, 2.0
kocets/s
PASV
227 Entering Passive Mode (84,16,92,30,168,54).
STOR im_inbox.gif
150 Opening BINARY mode data connection for im_inbox.gif
Envoyés
226 Transfer complete
SIZE im_inbox.gif
213 1202

```
Copied (11/05/2009 23:01:15): C:\tmp\tests_FTP\themb\classic\images\french-utf8\im_inbox.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/im_inbox.gif 1 202 octets, 2.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,167,237).
STOR im_new.gif
150 Opening BINARY mode data connection for im_new.gif
Envoyés
226 Transfer complete
SIZE im_new.gif
213 836
Copied (11/05/2009 23:01:19): C:\tmp\tests_FTP\themb\classic\images\french-utf8\im_new.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/im_new.gif 836 octets, 1.0 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,166,158).
STOR im_outbox.gif
150 Opening BINARY mode data connection for im_outbox.gif
Envoyés
226 Transfer complete
SIZE im_outbox.gif
213 1005
Copied (11/05/2009 23:01:22): C:\tmp\tests_FTP\themb\classic\images\french-utf8\im_outbox.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/im_outbox.gif 1 005 octets, 2.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,165,116).
STOR im_reload.gif
150 Opening BINARY mode data connection for im_reload.gif
Envoyés
226 Transfer complete
SIZE im_reload.gif
213 783
Copied (11/05/2009 23:01:23): C:\tmp\tests_FTP\themb\classic\images\french-utf8\im_reload.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/im_reload.gif 783 octets, 2.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,164,106).
STOR im_reply.gif
150 Opening BINARY mode data connection for im_reply.gif
Envoyés
226 Transfer complete
SIZE im_reply.gif
213 569
Copied (11/05/2009 23:01:23): C:\tmp\tests_FTP\themb\classic\images\french-utf8\im_reply.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/im_reply.gif 569 octets, 2.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,167,97).
STOR linktocal.gif
150 Opening BINARY mode data connection for linktocal.gif
Envoyés
226 Transfer complete
SIZE linktocal.gif
213 658
Copied (11/05/2009 23:01:25): C:\tmp\tests_FTP\themb\classic\images\french-utf8\linktocal.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/linktocal.gif 658 octets, 2.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,169,206).
STOR login.gif
150 Opening BINARY mode data connection for login.gif
Envoyés
226 Transfer complete
SIZE login.gif
213 399
Copied (11/05/2009 23:01:37): C:\tmp\tests_FTP\themb\classic\images\french-utf8\login.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/login.gif 399 octets, 0 octets/s
PASV
227 Entering Passive Mode (84,16,92,30,167,98).
STOR logout.gif
150 Opening BINARY mode data connection for logout.gif
Envoyés
226 Transfer complete
SIZE logout.gif
213 443
Copied (11/05/2009 23:01:38): C:\tmp\tests_FTP\themb\classic\images\french-utf8\logout.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/logout.gif 443 octets, 1.0 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,167,43).
STOR markread.gif
150 Opening BINARY mode data connection for markread.gif
Envoyés
226 Transfer complete
```

```
SIZE markread.gif
213 1034
Copied (11/05/2009 23:01:38): C:\tmp\tests_FTP\themb\classic\images\french-utf8\markread.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/markread.gif 1 034 octets, 2.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,170,153).
STOR markunread.gif
150 Opening BINARY mode data connection for markunread.gif
Envoyés
226 Transfer complete
SIZE markunread.gif
213 1104
Copied (11/05/2009 23:01:40): C:\tmp\tests_FTP\themb\classic\images\french-utf8\markunread.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/markunread.gif 1 104 octets, 1.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,164,225).
STOR merge.gif
150 Opening BINARY mode data connection for merge.gif
Envoyés
226 Transfer complete
SIZE merge.gif
213 355
Copied (11/05/2009 23:01:41): C:\tmp\tests_FTP\themb\classic\images\french-utf8\merge.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/merge.gif 355 octets, 0 octets/s
PASV
227 Entering Passive Mode (84,16,92,30,171,182).
STOR modify.gif
150 Opening BINARY mode data connection for modify.gif
Envoyés
226 Transfer complete
SIZE modify.gif
213 400
Copied (11/05/2009 23:01:46): C:\tmp\tests_FTP\themb\classic\images\french-utf8\modify.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/modify.gif 400 octets, 0 octets/s
PASV
227 Entering Passive Mode (84,16,92,30,168,148).
STOR new.gif
150 Opening BINARY mode data connection for new.gif
Envoyés
226 Transfer complete
SIZE new.gif
213 456
Copied (11/05/2009 23:01:46): C:\tmp\tests_FTP\themb\classic\images\french-utf8\new.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/new.gif 456 octets, 1.0 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,171,179).
STOR new_none.gif
150 Opening BINARY mode data connection for new_none.gif
Envoyés
226 Transfer complete
SIZE new_none.gif
213 314
Copied (11/05/2009 23:01:47): C:\tmp\tests_FTP\themb\classic\images\french-utf8\new_none.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/new_none.gif 314 octets, 1.0
kocets/s
PASV
227 Entering Passive Mode (84,16,92,30,164,223).
STOR new_poll.gif
150 Opening BINARY mode data connection for new_poll.gif
Envoyés
226 Transfer complete
SIZE new_poll.gif
213 719
Copied (11/05/2009 23:01:48): C:\tmp\tests_FTP\themb\classic\images\french-utf8\new_poll.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/new_poll.gif 719 octets, 2.0
kocets/s
PASV
227 Entering Passive Mode (84,16,92,30,169,199).
STOR new_some.gif
150 Opening BINARY mode data connection for new_some.gif
Envoyés
226 Transfer complete
SIZE new_some.gif
213 337
Copied (11/05/2009 23:01:53): C:\tmp\tests_FTP\themb\classic\images\french-utf8\new_some.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/new_some.gif 337 octets, 0 octets/s
PASV
227 Entering Passive Mode (84,16,92,30,171,69).
STOR new_topic.gif
150 Opening BINARY mode data connection for new_topic.gif
Envoyés
```

226 Transfer complete
SIZE new_topic.gif
213 1047
Copied (11/05/2009 23:01:53): C:\tmp\tests_FTP\themb\classic\images\french-utf8\new_topic.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/new_topic.gif 1 047 octets, 2.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,167,9).
STOR notify.gif
150 Opening BINARY mode data connection for notify.gif
Envoyés
226 Transfer complete
SIZE notify.gif
213 643
Copied (11/05/2009 23:01:54): C:\tmp\tests_FTP\themb\classic\images\french-utf8\notify.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/notify.gif 643 octets, 1.0 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,170,206).
STOR notify_sm.gif
150 Opening BINARY mode data connection for notify_sm.gif
Envoyés
226 Transfer complete
SIZE notify_sm.gif
213 341
Copied (11/05/2009 23:01:55): C:\tmp\tests_FTP\themb\classic\images\french-utf8\notify_sm.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/notify_sm.gif 341 octets, 1.0
kocotets/s
PASV
227 Entering Passive Mode (84,16,92,30,166,189).
STOR print.gif
150 Opening BINARY mode data connection for print.gif
Envoyés
226 Transfer complete
SIZE print.gif
213 960
Copied (11/05/2009 23:01:55): C:\tmp\tests_FTP\themb\classic\images\french-utf8\print.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/print.gif 960 octets, 2.9 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,170,102).
STOR profile.gif
150 Opening BINARY mode data connection for profile.gif
Envoyés
226 Transfer complete
SIZE profile.gif
213 428
Copied (11/05/2009 23:01:59): C:\tmp\tests_FTP\themb\classic\images\french-utf8\profile.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/profile.gif 428 octets, 1.0
kocotets/s
PASV
227 Entering Passive Mode (84,16,92,30,168,135).
STOR quote.gif
150 Opening BINARY mode data connection for quote.gif
Envoyés
226 Transfer complete
SIZE quote.gif
213 364
Copied (11/05/2009 23:02:11): C:\tmp\tests_FTP\themb\classic\images\french-utf8\quote.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/quote.gif 364 octets, 0 octets/s
PASV
227 Entering Passive Mode (84,16,92,30,168,179).
STOR register.gif
150 Opening BINARY mode data connection for register.gif
Envoyés
226 Transfer complete
SIZE register.gif
213 489
Copied (11/05/2009 23:02:12): C:\tmp\tests_FTP\themb\classic\images\french-utf8\register.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/register.gif 489 octets, 1.0
kocotets/s
PASV
227 Entering Passive Mode (84,16,92,30,171,218).
STOR reply.gif
150 Opening BINARY mode data connection for reply.gif
Envoyés
226 Transfer complete
SIZE reply.gif
213 1016
Copied (11/05/2009 23:02:12): C:\tmp\tests_FTP\themb\classic\images\french-utf8\reply.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/reply.gif 1 016 octets, 2.9
kocotets/s
PASV
227 Entering Passive Mode (84,16,92,30,166,216).
STOR reply_sm.gif

```
150 Opening BINARY mode data connection for reply_sm.gif
Envoyés
226 Transfer complete
SIZE reply_sm.gif
213 568
Copied (11/05/2009 23:02:16): C:\tmp\tests_FTP\themb\classic\images\french-utf8\reply_sm.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/reply_sm.gif 568 octets, 2.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,166,193).
STOR search.gif
150 Opening BINARY mode data connection for search.gif
Envoyés
226 Transfer complete
SIZE search.gif
213 606
Copied (11/05/2009 23:02:17): C:\tmp\tests_FTP\themb\classic\images\french-utf8\search.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/search.gif 606 octets, 2.0 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,164,147).
STOR sendtopic.gif
150 Opening BINARY mode data connection for sendtopic.gif
Envoyés
226 Transfer complete
SIZE sendtopic.gif
213 874
Copied (11/05/2009 23:02:30): C:\tmp\tests_FTP\themb\classic\images\french-utf8\sendtopic.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/sendtopic.gif 874 octets, 0 octets/s
PASV
227 Entering Passive Mode (84,16,92,30,170,232).
STOR split.gif
150 Opening BINARY mode data connection for split.gif
Envoyés
226 Transfer complete
SIZE split.gif
213 349
Copied (11/05/2009 23:02:55): C:\tmp\tests_FTP\themb\classic\images\french-utf8\split.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/images/french-utf8/split.gif 349 octets, 0 octets/s
CWD /web/testFTP/themb/classic/images
250 CWD command successful
CWD /web/testFTP/themb/classic
250 CWD command successful
PWD
257 "/web/testFTP/themb/classic" is the current directory
MKD languages
257 "/web/testFTP/themb/classic/languages" - Directory successfully created
CWD languages
250 CWD command successful
PWD
257 "/web/testFTP/themb/classic/languages" is the current directory
Lire le répertoire
TYPE A
200 Type set to A
PASV
227 Entering Passive Mode (84,16,92,30,167,219).
LIST
150 Opening ASCII mode data connection for file list
Téléchargé|s
En attente du serveur...
226 Transfer complete
TYPE I
200 Type set to I
PASV
227 Entering Passive Mode (84,16,92,30,167,34).
STOR Settings.french-utf8.php
150 Opening BINARY mode data connection for Settings.french-utf8.php
Envoyés
226 Transfer complete
SIZE Settings.french-utf8.php
213 446
Copied (11/05/2009 23:03:03): C:\tmp\tests_FTP\themb\classic\languages\Settings.french-utf8.php ->
ftp://www.tayeb.fr/web/testFTP/themb/classic/languages/Settings.french-utf8.php 446 octets, 1.0
koctets/s
CWD /web/testFTP/themb/classic
250 CWD command successful
CWD /web/testFTP/themb
250 CWD command successful
PWD
257 "/web/testFTP/themb" is the current directory
MKD default
257 "/web/testFTP/themb/default" - Directory successfully created
CWD default
250 CWD command successful
```

```
PWD
257 "/web/testFTP/themb/default" is the current directory
Lire le répertoire
TYPE A
200 Type set to A
PASV
227 Entering Passive Mode (84,16,92,30,164,125).
LIST
150 Opening ASCII mode data connection for file list
Téléchargé|s
En attente du serveur...
226 Transfer complete
MKD images
257 "/web/testFTP/themb/default/images" - Directory successfully created
CWD images
250 CWD command successful
PWD
257 "/web/testFTP/themb/default/images" is the current directory
Lire le répertoire
PASV
227 Entering Passive Mode (84,16,92,30,168,53).
LIST
150 Opening ASCII mode data connection for file list
Téléchargé|s
En attente du serveur...
226 Transfer complete
MKD french-utf8
257 "/web/testFTP/themb/default/images/french-utf8" - Directory successfully created
CWD french-utf8
250 CWD command successful
PWD
257 "/web/testFTP/themb/default/images/french-utf8" is the current directory
Lire le répertoire
PASV
227 Entering Passive Mode (84,16,92,30,170,115).
LIST
150 Opening ASCII mode data connection for file list
Téléchargé|s
En attente du serveur...
226 Transfer complete
TYPE I
200 Type set to I
PASV
227 Entering Passive Mode (84,16,92,30,170,59).
STOR addpoll.gif
150 Opening BINARY mode data connection for addpoll.gif
Envoyés
226 Transfer complete
SIZE addpoll.gif
213 2932
Copied (11/05/2009 23:03:09): C:\tmp\tests_FTP\themb\default\images\french-utf8\addpoll.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/addpoll.gif 2 932 octets, 5.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,171,136).
STOR admin.gif
150 Opening BINARY mode data connection for admin.gif
Envoyés
226 Transfer complete
SIZE admin.gif
213 1509
Copied (11/05/2009 23:03:09): C:\tmp\tests_FTP\themb\default\images\french-utf8\admin.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/admin.gif 1 509 octets, 4.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,165,191).
STOR admin_lock.gif
150 Opening BINARY mode data connection for admin_lock.gif
Envoyés
226 Transfer complete
SIZE admin_lock.gif
213 2289
Copied (11/05/2009 23:03:21): C:\tmp\tests_FTP\themb\default\images\french-utf8\admin_lock.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/admin_lock.gif 2 289 octets, 3.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,168,244).
STOR admin_move.gif
150 Opening BINARY mode data connection for admin_move.gif
Envoyés
226 Transfer complete
SIZE admin_move.gif
213 2354
```



```
Copied (11/05/2009 23:03:30): C:\tmp\tests_FTP\themb\default\images\french-utf8\admin_move.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/admin_move.gif 2 354 octets, 7.8
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,164,137).
STOR admin_rem.gif
150 Opening BINARY mode data connection for admin_rem.gif
Envoyés
226 Transfer complete
SIZE admin_rem.gif
213 1795
Copied (11/05/2009 23:03:32): C:\tmp\tests_FTP\themb\default\images\french-utf8\admin_rem.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/admin_rem.gif 1 795 octets, 2.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,165,149).
STOR admin_remove_poll.gif
150 Opening BINARY mode data connection for admin_remove_poll.gif
Envoyés
226 Transfer complete
SIZE admin_remove_poll.gif
213 2932
Copied (11/05/2009 23:03:36): C:\tmp\tests_FTP\themb\default\images\french-
utf8\admin_remove_poll.gif -> ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-
utf8/admin_remove_poll.gif 2 932 octets, 2.9 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,168,38).
STOR admin_sticky.gif
150 Opening BINARY mode data connection for admin_sticky.gif
Envoyés
226 Transfer complete
SIZE admin_sticky.gif
213 722
Copied (11/05/2009 23:03:44): C:\tmp\tests_FTP\themb\default\images\french-utf8\admin_sticky.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/admin_sticky.gif 722 octets, 2.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,169,14).
STOR calendar.gif
150 Opening BINARY mode data connection for calendar.gif
Envoyés
226 Transfer complete
SIZE calendar.gif
213 1256
Copied (11/05/2009 23:03:48): C:\tmp\tests_FTP\themb\default\images\french-utf8\calendar.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/calendar.gif 1 256 octets, 3.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,164,197).
STOR calendarpe.gif
150 Opening BINARY mode data connection for calendarpe.gif
Envoyés
226 Transfer complete
SIZE calendarpe.gif
213 2482
Copied (11/05/2009 23:03:49): C:\tmp\tests_FTP\themb\default\images\french-utf8\calendarpe.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/calendarpe.gif 2 482 octets, 6.8
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,167,250).
STOR delete.gif
150 Opening BINARY mode data connection for delete.gif
Envoyés
226 Transfer complete
SIZE delete.gif
213 1279
Copied (11/05/2009 23:03:53): C:\tmp\tests_FTP\themb\default\images\french-utf8\delete.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/delete.gif 1 279 octets, 3.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,169,222).
STOR delete_selected.gif
150 Opening BINARY mode data connection for delete_selected.gif
Envoyés
226 Transfer complete
SIZE delete_selected.gif
213 1433
Copied (11/05/2009 23:03:53): C:\tmp\tests_FTP\themb\default\images\french-utf8\delete_selected.gif
-> ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/delete_selected.gif 1 433 octets,
3.9 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,170,125).
STOR go_down.gif
```

150 Opening BINARY mode data connection for go_down.gif
Envoyés
226 Transfer complete
SIZE go_down.gif
213 1055
Copied (11/05/2009 23:03:54): C:\tmp\tests_FTP\themb\default\images\french-utf8\go_down.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/go_down.gif 1 055 octets, 2.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,167,96).
STOR go_up.gif
150 Opening BINARY mode data connection for go_up.gif
Envoyés
226 Transfer complete
SIZE go_up.gif
213 1055
Copied (11/05/2009 23:03:55): C:\tmp\tests_FTP\themb\default\images\french-utf8\go_up.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/go_up.gif 1 055 octets, 1.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,165,7).
STOR help.gif
150 Opening BINARY mode data connection for help.gif
Envoyés
226 Transfer complete
SIZE help.gif
213 1509
Copied (11/05/2009 23:03:56): C:\tmp\tests_FTP\themb\default\images\french-utf8\help.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/help.gif 1 509 octets, 2.0 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,169,108).
STOR home.gif
150 Opening BINARY mode data connection for home.gif
Envoyés
226 Transfer complete
SIZE home.gif
213 1865
Copied (11/05/2009 23:03:57): C:\tmp\tests_FTP\themb\default\images\french-utf8\home.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/home.gif 1 865 octets, 2.9 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,170,13).
STOR im_delete.gif
150 Opening BINARY mode data connection for im_delete.gif
Envoyés
226 Transfer complete
SIZE im_delete.gif
213 1663
Copied (11/05/2009 23:03:58): C:\tmp\tests_FTP\themb\default\images\french-utf8\im_delete.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/im_delete.gif 1 663 octets, 4.9
kocokets/s
PASV
227 Entering Passive Mode (84,16,92,30,171,94).
STOR im_inbox.gif
150 Opening BINARY mode data connection for im_inbox.gif
Envoyés
226 Transfer complete
SIZE im_inbox.gif
213 1795
Copied (11/05/2009 23:03:58): C:\tmp\tests_FTP\themb\default\images\french-utf8\im_inbox.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/im_inbox.gif 1 795 octets, 4.9
kocokets/s
PASV
227 Entering Passive Mode (84,16,92,30,166,19).
STOR im_new.gif
150 Opening BINARY mode data connection for im_new.gif
Envoyés
226 Transfer complete
SIZE im_new.gif
213 2193
Copied (11/05/2009 23:04:00): C:\tmp\tests_FTP\themb\default\images\french-utf8\im_new.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/im_new.gif 2 193 octets, 2.0
kocokets/s
PASV
227 Entering Passive Mode (84,16,92,30,166,225).
STOR im_outbox.gif
150 Opening BINARY mode data connection for im_outbox.gif
Envoyés
226 Transfer complete
SIZE im_outbox.gif
213 1389
Copied (11/05/2009 23:04:00): C:\tmp\tests_FTP\themb\default\images\french-utf8\im_outbox.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/im_outbox.gif 1 389 octets, 2.9
kocokets/s

PASV
227 Entering Passive Mode (84,16,92,30,171,70).
STOR im_reload.gif
150 Opening BINARY mode data connection for im_reload.gif
Envoyés
226 Transfer complete
SIZE im_reload.gif
213 1663
Copied (11/05/2009 23:04:01): C:\tmp\tests_FTP\themb\default\images\french-utf8\im_reload.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/im_reload.gif 1 663 octets, 4.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,166,13).
STOR im_reply.gif
150 Opening BINARY mode data connection for im_reply.gif
Envoyés
226 Transfer complete
SIZE im_reply.gif
213 1055
Copied (11/05/2009 23:04:02): C:\tmp\tests_FTP\themb\default\images\french-utf8\im_reply.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/im_reply.gif 1 055 octets, 2.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,169,169).
STOR keystats.gif
150 Opening BINARY mode data connection for keystats.gif
Envoyés
226 Transfer complete
SIZE keystats.gif
213 1872
Copied (11/05/2009 23:04:02): C:\tmp\tests_FTP\themb\default\images\french-utf8\keystats.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/keystats.gif 1 872 octets, 5.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,166,40).
STOR linktocal.gif
150 Opening BINARY mode data connection for linktocal.gif
Envoyés
226 Transfer complete
SIZE linktocal.gif
213 2370
Copied (11/05/2009 23:04:07): C:\tmp\tests_FTP\themb\default\images\french-utf8\linktocal.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/linktocal.gif 2 370 octets, 2.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,165,251).
STOR login.gif
150 Opening BINARY mode data connection for login.gif
Envoyés
226 Transfer complete
SIZE login.gif
213 774
Copied (11/05/2009 23:04:08): C:\tmp\tests_FTP\themb\default\images\french-utf8\login.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/login.gif 774 octets, 2.0 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,170,45).
STOR logout.gif
150 Opening BINARY mode data connection for logout.gif
Envoyés
226 Transfer complete
SIZE logout.gif
213 793
Copied (11/05/2009 23:04:09): C:\tmp\tests_FTP\themb\default\images\french-utf8\logout.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/logout.gif 793 octets, 1.0 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,165,49).
STOR markread.gif
150 Opening BINARY mode data connection for markread.gif
Envoyés
226 Transfer complete
SIZE markread.gif
213 1807
Copied (11/05/2009 23:04:10): C:\tmp\tests_FTP\themb\default\images\french-utf8\markread.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/markread.gif 1 807 octets, 5.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,169,198).
STOR markunread.gif
150 Opening BINARY mode data connection for markunread.gif
Envoyés
226 Transfer complete
SIZE markunread.gif
213 833

```
Copied (11/05/2009 23:04:10): C:\tmp\tests_FTP\themb\default\images\french-utf8\markunread.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/markunread.gif 833 octets, 2.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,165,111).
STOR memberlist.gif
150 Opening BINARY mode data connection for memberlist.gif
Envoyés
226 Transfer complete
SIZE memberlist.gif
213 1509
Copied (11/05/2009 23:04:15): C:\tmp\tests_FTP\themb\default\images\french-utf8\memberlist.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/memberlist.gif 1 509 octets, 4.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,165,158).
STOR merge.gif
150 Opening BINARY mode data connection for merge.gif
Envoyés
226 Transfer complete
SIZE merge.gif
213 1663
Copied (11/05/2009 23:04:15): C:\tmp\tests_FTP\themb\default\images\french-utf8\merge.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/merge.gif 1 663 octets, 4.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,166,27).
STOR modify.gif
150 Opening BINARY mode data connection for modify.gif
Envoyés
226 Transfer complete
SIZE modify.gif
213 668
Copied (11/05/2009 23:04:17): C:\tmp\tests_FTP\themb\default\images\french-utf8\modify.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/modify.gif 668 octets, 2.0 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,171,211).
STOR new.gif
150 Opening BINARY mode data connection for new.gif
Envoyés
226 Transfer complete
SIZE new.gif
213 456
Copied (11/05/2009 23:04:17): C:\tmp\tests_FTP\themb\default\images\french-utf8\new.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/new.gif 456 octets, 1.0 koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,171,202).
STOR newsbox.gif
150 Opening BINARY mode data connection for newsbox.gif
Envoyés
226 Transfer complete
SIZE newsbox.gif
213 2040
Copied (11/05/2009 23:04:19): C:\tmp\tests_FTP\themb\default\images\french-utf8\newsbox.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/newsbox.gif 2 040 octets, 2.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,165,195).
STOR new_poll.gif
150 Opening BINARY mode data connection for new_poll.gif
Envoyés
226 Transfer complete
SIZE new_poll.gif
213 2640
Copied (11/05/2009 23:04:23): C:\tmp\tests_FTP\themb\default\images\french-utf8\new_poll.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/new_poll.gif 2 640 octets, 1.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,165,178).
STOR new_topic.gif
150 Opening BINARY mode data connection for new_topic.gif
Envoyés
226 Transfer complete
SIZE new_topic.gif
213 2001
Copied (11/05/2009 23:04:30): C:\tmp\tests_FTP\themb\default\images\french-utf8\new_topic.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/new_topic.gif 2 001 octets, 2.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,168,223).
STOR notify.gif
150 Opening BINARY mode data connection for notify.gif
Envoyés
```

```
226 Transfer complete
SIZE notify.gif
213 1663
Copied (11/05/2009 23:04:31): C:\tmp\tests_FTP\themb\default\images\french-utf8\notify.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/notify.gif 1 663 octets, 1.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,166,61).
STOR notify_sm.gif
150 Opening BINARY mode data connection for notify_sm.gif
Envoyés
226 Transfer complete
SIZE notify_sm.gif
213 1279
Copied (11/05/2009 23:04:32): C:\tmp\tests_FTP\themb\default\images\french-utf8\notify_sm.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/notify_sm.gif 1 279 octets, 2.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,167,56).
STOR print.gif
150 Opening BINARY mode data connection for print.gif
Envoyés
226 Transfer complete
SIZE print.gif
213 1663
Copied (11/05/2009 23:04:33): C:\tmp\tests_FTP\themb\default\images\french-utf8\print.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/print.gif 1 663 octets, 2.0
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,165,38).
STOR profile.gif
150 Opening BINARY mode data connection for profile.gif
Envoyés
226 Transfer complete
SIZE profile.gif
213 1509
Copied (11/05/2009 23:04:34): C:\tmp\tests_FTP\themb\default\images\french-utf8\profile.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/profile.gif 1 509 octets, 2.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,171,60).
STOR quote.gif
150 Opening BINARY mode data connection for quote.gif
Envoyés
226 Transfer complete
SIZE quote.gif
213 1279
Copied (11/05/2009 23:04:34): C:\tmp\tests_FTP\themb\default\images\french-utf8\quote.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/quote.gif 1 279 octets, 3.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,167,238).
STOR register.gif
150 Opening BINARY mode data connection for register.gif
Envoyés
226 Transfer complete
SIZE register.gif
213 1709
Copied (11/05/2009 23:04:35): C:\tmp\tests_FTP\themb\default\images\french-utf8\register.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/register.gif 1 709 octets, 4.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,169,16).
STOR reply.gif
150 Opening BINARY mode data connection for reply.gif
Envoyés
226 Transfer complete
SIZE reply.gif
213 1663
Copied (11/05/2009 23:04:35): C:\tmp\tests_FTP\themb\default\images\french-utf8\reply.gif ->
ftp://www.tayeb.fr/web/testFTP/themb/default/images/french-utf8/reply.gif 1 663 octets, 4.9
koctets/s
PASV
227 Entering Passive Mode (84,16,92,30,169,58).
NOOP
200 NOOP command successful
NOOP
200 NOOP command successful
NOOP
200 NOOP command successful
NOOP
200 NOOP command successful
NOOP
```

